

## ---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER

Creation date 17th November 2025 Version 1.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier** ---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER
- Substance / mixture mixture  
Number M-3349 / M-3350 / M-3351
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Sealing areas of all engines or critical applications of sealing by helping other seals sport them in. It is used to ensure sealing gears, gears boxes transmission systems, in all domestic and imported European, American and Japon vehicles. Liquid gasket is permanently elastic, resist to vibration.  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name ALCON ENDÜSTRİYEL ÜRÜNLER SAN. VE TİC. LTD. ŞTİ.  
Address SOĞANLIK YENİ MAH. ALİAĞA SOK. NO:8 DAİRE:37 Bumerang Kartal Rezidans Kartal, İstanbul, 34880  
Turkey  
Phone +90 216 661 00 90  
Email alcon@alcon.com.tr  
Web address www.alcon.com.tr
- 1.4. Emergency telephone number**  
European emergency number: 112

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.
- Skin Irrit. 2, H315  
Skin Sens. 1, H317  
Eye Irrit. 2, H319
- Most serious adverse effects on human health and the environment**  
Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
- 2.2. Label elements**  
**Hazard pictogram**
- 
- Signal word**  
Warning
- Hazardous substances**  
Butan-2-one O,O',O''-(methylsilylidyne)trioxime  
dibutyltin dilaurate  
amorphous silica  
3-aminopropyltriethoxysilane
- Hazard statements**  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

**---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER**

Creation date	17th November 2025	Version	1.0
---------------	--------------------	---------	-----

**Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing mist/vapours/spray.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear eye protection/protective gloves/protective clothing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

**2.3. Other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 70131-67-8 EC: 615-070-3	Siloxanes and Silicones, di-Me, hydroxy-terminated	40-60	not classified as dangerous	
CAS: 471-34-1 EC: 207-439-9	calcium carbonate	30-40	not classified as dangerous	
CAS: 22984-54-9 EC: 245-366-4	Butan-2-one O,O',O''-(methylsilyldiyl)trioxime	5-10	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	
Index: 050-030-00-3 CAS: 77-58-7 EC: 201-039-8	dibutyltin dilaurate	0-5	Muta. 2, H341 Repr. 1B, H360FD STOT RE 1, H372 (immune system)	1, 2
CAS: 112945-52-5	amorphous silica	0-5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Index: 612-108-00-0 CAS: 919-30-2 EC: 213-048-4	3-aminopropyltriethoxysilane	<1	Acute Tox. 4, H302 Skin Corr. 1B, H314	

**Notes**

- 1 A substance for which exposure limits are set.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air.

**---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER**

Creation date	17th November 2025	Version	1.0
---------------	--------------------	---------	-----

**If on skin**

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

**If swallowed**

Rinse out the mouth with water and provide 0.2-0.5 L of water. Provide medical treatment if the person has any health problems.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

Not expected.

**If on skin**

May cause an allergic skin reaction.

**If in eyes**

Causes serious eye irritation.

**If swallowed**

Irritation, nausea.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

**5.3. Advice for firefighters**

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

**6.3. Methods and material for containment and cleaning up**

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

## ---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER

Creation date	17th November 2025	Version	1.0
---------------	--------------------	---------	-----

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

The mixture contains no substances for which occupational exposure limits are set.

**Turkey**

Substance name (component)	Type	Value
dibutyltin dilaurate (CAS: 77-58-7)	TWA (8 hours)	2 mg/m <sup>3</sup>

*Notes*

*As Sn.*

**8.2. Exposure controls**

Take off contaminated clothing and wash before reuse. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

**Eye/face protection**

Protective goggles.

**Skin protection**

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class
Neoprene (CR)	≥ 0.7 mm	>30 min	2

**Respiratory protection**

It is not needed.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	black, grey, anthracite, red

**---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER**

Creation date	17th November 2025	Version	1.0
---------------	--------------------	---------	-----

Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	data not available
Relative vapour density	1.12-1.18
Particle characteristics	data not available
Form	liquid, Thixotropic paste

**9.2. Other information**

not available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Unknown.

**10.4. Conditions to avoid**

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

**10.5. Incompatible materials**

Protect against strong acids, bases and oxidizing agents.

**10.6. Hazardous decomposition products**

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No toxicological data is available for the mixture.

**Acute toxicity**

Based on the available data, the criteria for classification of the mixture are not met. Data for the components of the mixture are not available.

---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	50001 mg/kg				Calculation of value

**Skin corrosion/irritation**

Causes skin irritation. Data for the components of the mixture are not available.

**---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER**

Creation date 17th November 2025 Version 1.0

**Serious eye damage/irritation**

Causes serious eye irritation. Data for the components of the mixture are not available.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction. Data for the components of the mixture are not available.

**Germ cell mutagenicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Carcinogenicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Reproductive toxicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Toxicity for specific target organ - single exposure**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Toxicity for specific target organ - repeated exposure**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

**Other information**

not available

**SECTION 12: Ecological information****12.1. Toxicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**12.2. Persistence and degradability**

No data are available for either the mixture or the components.

**12.3. Bioaccumulative potential**

No data are available for either the mixture or the components.

**12.4. Mobility in soil**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

**12.5. Results of PBT and vPvB assessment**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

**12.6. Endocrine disrupting properties**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

**12.7. Other adverse effects**

## ---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER

Creation date	17th November 2025	Version	1.0
---------------	--------------------	---------	-----

Not available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### SECTION 14: Transport information

#### 14.1. UN number or ID number

not subject to transport regulations

#### 14.2. UN proper shipping name

not relevant

#### 14.3. Transport hazard class(es)

not relevant

#### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER**

Creation date 17th November 2025 Version 1.0

**Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended**

dibutyltin dilaurate

Restriction	Conditions of restriction
30	<p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none"> <li>— as substances,</li> <li>— as constituents of other substances, or,</li> <li>— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: <ul style="list-style-type: none"> <li>— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008,</li> <li>or,</li> <li>— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.</li> </ul> </li> </ul> <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>“Restricted to professional users”.</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> <ul style="list-style-type: none"> <li>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</li> <li>(b) cosmetic products as defined by Directive 76/768/EEC;</li> <li>(c) the following fuels and oil products: <ul style="list-style-type: none"> <li>— motor fuels which are covered by Directive 98/70/EC,</li> <li>— mineral oil products intended for use as fuel in mobile or fixed combustion plants,</li> <li>— fuels sold in closed systems (e.g. liquid gas bottles);</li> </ul> </li> <li>(d) artists' paints covered by Regulation (EC) No 1272/2008;</li> <li>(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.</li> <li>(f) devices covered by Regulation (EU) 2017/745.</li> </ul>

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to the immune system through prolonged or repeated exposure.

**Guidelines for safe handling used in the safety data sheet**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing mist/vapours/spray.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear eye protection/protective gloves/protective clothing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

**Other important information about human health protection**

**---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER**

Creation date	17th November 2025	Version	1.0
---------------	--------------------	---------	-----

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Irrit.	Eye irritation
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
Muta.	Germ cell mutagenicity
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## ---ALCON NOTR-ON NEUTRAL AUTOMATIC DOSE RTV LIQUID GASKET MAKER

Creation date	17th November 2025	Version	1.0
---------------	--------------------	---------	-----

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.