



www.alcon.com.tr

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

Reference number: ALC-141

Release date: 06/12/2021 Number of updates: 1.0

SECTION 1: Identity of the substance/mixture and company/distributor

1.1. Identity of the substance/mixture

product form	: Mixture
Name of the product	: ALCON STOP LEAKS SPRAY
Product code	: M-9014 / M-9015
sprayer	: Aerosol
Product group	: Commercial product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Appropriate uses identified

Main use category	: industrial use
Industrial/professional use features	: Industrial
Use of the substance/mixture	: It is an easy-to-use, sealing, insulation and coating sealant that protects and covers surfaces against water and other liquid leaks thanks to its specially developed liquefied rubber formulation. Thanks to its special rubber liquid formulation when sprayed on the surface; It quickly stops all kinds of leaks and cracks in the area by penetrating into cracks, leaks and holes. It does not leak, collapse, crack or peel. After drying, it can be painted to the desired color.

1.2.2. Not recommended uses

Complement no information

1.3. Information of the supplier of the safety data sheet

ALCON ENDÜSTRİYEL ÜRÜNLER SANAYİ VE TİCARET LİMİTED ŞİRKETİ
SOĞANLIK YENİ MAH, ALİAĞA SOK. NO:8 KAT:9 DAİRE:37 Bumerang Kartal Rezidans
34880 KARTAL / İSTANBUL - TÜRKİYE
T +90 216 661 00 90 - F +90 216 661 01 57
alcon@alcon.com.tr - www.alcon.com.tr

1.4. emergency phone number

emergency number : +90 216 661 00 90

Country	Organization/Company	Address	emergency number	Comment
Turkey	National Poison Center (UZEM) Refik Saydam Hygiene Center Presidency	Cemal Gursel Cd. No: 18 Sıhhiye Cankaya 06590 Ankara	114	Information service about poisonings is provided to the public and health personnel via the phone number 114.

SECTION 2: Hazards identification

2.1. Classification of substance and mixture

Classification according to EU regulation 1272/2008 [CLP]

Physical and chemical hazards	Flammable Liquid 2 H225; Eye Irritation 2 H319; Flammable Liquid 3 H226; Flame. Gas 1, H220; Dissolved Gas, H280.
Human health	Skin Irritation 2 H315; Skin Damage 1 H317; asp . Full. 1 H304; Eye Irritation 2 H319; Product System.Tok .,1A H360.
Environment	Not Classified.

The full text for all Hazard statements is given in section 16.

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

Harmful physicochemical effects and adverse effects on human health and the environment

Contains compressed gas; may explode when heated. It is under pressure: it may explode under the influence of temperature. Extremely flammable aerosol. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labeling according to EU regulation 1272/2008 (CLP)

Hazard symbol (CLP)



Signal word (CLP)

: Danger

Hazard Statement (CLP)

: H222 Extremely flammable aerosol.
H220 Extremely flammable gas.
H280 Contains gas under pressure, may explode when heated.
H225 Highly flammable liquid and gas.
H360 May damage fertility or the unborn child.
H304 Fatal if swallowed and enters airways.
H319 Causes serious eye irritation.
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H317 Causes an allergic skin reaction.

Precautionary Statements (CLP)

: P102 Keep out of reach of children.
P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.
P241 Use explosion-proof/electric/ventilation/igniter/.../material.
P243 Take precautionary measures against static discharge.
P273 Avoid release to the environment.
P331 Do not induce vomiting.
P405 Store locked up.
P241 Use explosion-proof electrical/ventilation/ignition/.../material.
P201 Read special instructions before use.
P243 Take precautionary measures against static discharge.
P202 Do not handle until all precautionary statements have been read and understood.
P281 Wear personal protective equipment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 IF SWALLOWED: NUMBER 114 of the NATIONAL POISON ADVICE CENTER
PHONE or call the doctor/physician.
P308 + P313 IF exposed and concerned: Get medical advice/attention.
P501 Dispose of contents/container to

2.3. Other damages

This product any a PBT and vPvB component does not include .

SECTION 3: Composition/Information on Ingredients

3.1. Materials

not applicable

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

3.2. Mixtures

First Name	Identity of the substance/mixture	%	Classification according to EU regulation 1272/2008 [CLP]
dimethyl ether (Note U)	(CAS No) 115-10-6 (EC No.) 204-065-8 (EC List No) 603-019-00-8	35 – 55	Flame. Gas. 1, H220 Compressed Gas
nail polish remover; propan-2-one; propanone	(CAS No) 67-64-1 (EC No.) 200-662-2 (EC List No) 606-001-00-8	8 – 12	Flame. Liquid. 2, H226 Eye Irrit. 2, H319 STOT SE 3, H336
Hydrocarbons, C7, nalkanes, isoalkanes	(CAS No) 64742-49-0 (EC No) 927-510-4	4 – 8	Flame. Liquid. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Full. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C7-C9, nalkanes, isoalkanes	(CAS No) - (EC No.) 920-750-0	2.5 – 10	Flame. Liquid. 2, H225 STOT SE 3, H336 Asp. Full. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons C9 aromatics	(CAS No) - (EC No.) 918-668-5	2.5 – 10	Flame. Liquid. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Full. 1, H304 Aquatic Chronic 2, H411
n-butyl acetate	(CAS No) 123-86-4 (EC No.) 204-658-1	8 – 12	Flame. Liquid. 3, H226 STOT SE 3, H336

Note U (Table 3.1): Gases in any of the compressed gas, liquefied gas, frozen liquefied gas or dissolved gas groups should be classified as “Gas under pressure” when placed on the market. The group depends on the physical state in which the gas is packaged and should therefore be assigned on a case-by-case basis.

Product subject to CLP Clause 1.1.3.7. In this case, the notification rules of the components have been changed.

Full text of H statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General first aid interventions	: Call a poison center or doctor/physician if you feel unwell.
First aid measures after inhalation	: Remove the person to fresh air and allow them to breathe comfortably.
First aid measures in case of skin contact	: Wash skin with plenty of water. Take off your contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First aid measures in case of eye contact	: Rinse carefully with water for a few minutes. Remove contact lenses, if present and easy to do. Rinse constantly. If eye irritation persists: Get medical advice/attention.
First aid measures if swallowed	: Call a poison center or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Known symptoms and effects are indicated on the label. (See section 2.2 and/or section 11)
Symptoms/effects after skin contact	: Irritating.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of need for medical attention and special treatment

Treat symptomatically.

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

SECTION 5: Firefighting measures

5.1. fire extinguishers

Suitable extinguishing agents : Water spray. Dry powder. Torn. Carbon dioxide.
Unsuitable extinguishing agents : Do not use a water jet as it may cause spreading.

5.2. Special hazards arising from the substance or mixture

Fire danger : Extremely flammable aerosol.
explosion hazard : It is under pressure: it may explode under the influence of temperature.
In case of fire, harmful decomposition products : Toxic fumes may be released.

5.3. Advice for firefighters

Fire protection : Do not attempt to intervene without suitable protective equipment. Independent breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

contingency plans : Ventilate the spill area. Open flames, sparks and smoking are prohibited. Avoid breathing dust/fume/gas/mist/vapour/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to intervene without suitable protective equipment. For more information see section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Cleaning operations : Recover the product mechanically.
Other informations : Dispose of material or solid residues at an authorized facility.

6.4. References to other sections

See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, sparks, flames, hot surfaces. - No smoking. Do not spray towards flames or other sources of ignition. Pressure vessel: Do not puncture or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapour/spray. Avoid contact with skin and eyes. Use personal protective equipment.
hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke while using this product. Always wash your hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Store in well-ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Keep it locked. Keep container tightly closed. Keep cold.
Storage temperature : 5 – 25 °C
storage location : Store in well-ventilated place. Store away from heat.
Special instructions on packaging : Store only in its original container.

7.3. Specific end uses

Complement no information

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Vocational exposure limit there is no .

n-butyl acetate			
Effects Seen	Exposure	DNEL	Toxicity Type
Inhalation-Systemic Effects	long exposure Acute/Short term exposure	734 mg/m ³ 1468 mg/m ³	irritation irritation
Inhalation-Local Effects	long exposure Acute/Short term exposure	734 mg/m ³ 1468 mg/m ³	irritation irritation
Dermal-Systemic Effects	long exposure Acute/Short term exposure	63 mg/kg bw/day no	irritation
Dermal-Local Effects	long exposure Acute/Short term exposure	no Low damage was observed.	

acetone			
Effects Seen	Exposure	DNEL	Toxicity Type
Inhalation-Systemic Effects	long exposure Acute/Short term exposure	367 mg/m ³ 734 mg/m ³	irritation irritation
Inhalation-Local Effects	long exposure Acute/Short term exposure	367 mg/m ³ 734 mg/m ³	irritation irritation
Dermal-Systemic Effects	long exposure Acute/Short term exposure	37 mg/kg bw/day no	irritation
Dermal-Local Effects	long exposure Acute/Short term exposure	Low damage was observed. no	
Oral-Systemic Effects	long exposure Acute/Short term exposure	4.5 mg/kg bw/day NOAEL: 900 mg/kg bw/day No damage was observed.	Repeated Dose Toxicity

Petroleum gases, liquefied (<0.1% 1,3 butadiene)			
Effects Seen	Exposure	DNEL	Toxicity Type
Inhalation-Systemic Effects	long exposure Acute/Short term exposure	1210 mg/m ³ Low damage was observed.	
Inhalation-Local Effects	long exposure Acute/Short term exposure	Low damage was observed. 2420 mg/m ³	
Dermal-Systemic Effects	long exposure Acute/Short term exposure	186 mg/kg bw/day 8238 mg/kg bw/day (NOAEL)	
Dermal-Local Effects	long exposure Acute/Short term exposure	Low damage was observed. Low damage was observed.	

8.2. Exposure controls

Appropriate engineering controls:

Provide good ventilation in the work area.

Hand protection:

protective gloves

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

Eye protection:

goggles

Skin and body protection:

Use suitable protective clothing

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

physical state	: Liquid
Appearance	: Aerosol liquid.
Colour	: White - black
Smell	: Characteristic.
olfactory threshold	: no data available
pH	: no data available
Relative evaporation rate (butyl acetate=1)	: no data available
Melting point	: not applicable
Freezing point	: no data available
Boiling point	: no data available
flash point	: no data available
auto ignition temperature	: no data available
decomposition temperature	: no data available
Flammability (solid, gas)	: Extremely flammable aerosol
vapor pressure	: no data available
Relative vapor density at 20 °C	: no data available
relative density	: no data available
Intensity	: 0.9 – 1.20 g/cm ³
Resolution	: It is insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: no data available
Viscosity (KU)	: 100-110
Viscosity, dynamic	: no data available
explosive properties	: It is under pressure: it may explode under the influence of temperature.
Oxidizing properties	: no data available
explosive limits	: no data available

9.2. Other informations

Complement no information

SECTION 10: Stability and reactivity

10.1. Reaction

Extremely flammable aerosol. It is under pressure: it may explode under the influence of temperature.

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

10.2. chemical stability

It is stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. Flame and spark ban. Eliminate all ignition sources.

10.5. Substances to be avoided

Strong oxidizers.

10.6. Harmful decomposition products

Under normal conditions of storage and use, no hazardous decomposition products are expected to form.

SECTION 11: Toxicological information

11.1. Information on toxic effects

Acute toxicity (by mouth) : Not classified
Acute toxicity (through the skin) : Not classified
Acute toxicity (by inhalation) : Not classified

Petroleum gases, liquefied (<0.1% 1,3 butadiene)

Acute, Inhalation, Rat/Female-Male	LC 50:800000ppm EC 50:280000ppm
Repeated Dose, Inhalation/Systemic, Rat/Female-Male	No harmful effects were observed. NOAEC; 19678 mg/m ³
Genetic Reproduction, Rat/Female-Male	NOAEC: 16000ppm
Carcinogenicity, Rat/Female-Male	NOAEC: 10000ppm The effect was seen at 17200 mg/m ³ .

Dimethyl ether

Acute, Inhalation, Rat/Male	LC 50:164000ppm
genetics, Drosophila	no
Carcinogenicity, Inhalation, Rat/Male-Female	no
Reproductive/Developmental, Teratogenicity, Rat	NOAEL: 40000 ppm

acetone

Acute, Oral, Rat	LD 50: 5800 mg/kg
Acute, Inhalation, Rat	LC50: 132000 mg/m ³ (3s) 76000 mg/m ³ (4h)
Irritation, Dermal	no
Irritation, Eye	There is
Sensitivity Repeated Dose, Dermal Sensitivity Repeated Dose, Oral Sensitization Repeated Dose, Inhalation	no NOAEL; 900 mg/kg bw/day NOAEC: 22500 mg/m ³

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

n-butyl acetate	
Acute, Oral, Rabbit Acute, Inhalation, Rat Acute, Dermal, Rabbit	LD 50: 4934 mg/kg va LC 50: >22.5 mg/l (6 hours) 200 mg/l (1 hour) LD 50: >2000 g/kg
Irritation, Dermal Irritation, Eye	no no
Repeated Dose, Oral Rat	NOAEL; 900 mg/kg bw/day
Reproduction, Oral, Mouse Reproduction, Inhalation, Rat	NOAEL: 26400 mg/kg bw/day Damage has been done. NOAEC: 22000 mg/m ³
Developmental, Inhalation	NOAEC: 73300 mg/m ³

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause sensitization in contact with skin.
Germ cell mutagenicity carcinogenicity	: May damage germ cell mutagenicity. : It is suspected of causing cancer.
Reproductive toxicity	: May cause harm to reproductive toxicity.

ALCON ISOLATION SPRAY	
sprayer	Aerosol

SECTION 12: Ecological information

12.1. Toxicity

aquatic in the environment long duration persistent , toxic effect .

Petroleum gases, liquefied (<0.1% 1,3 butadiene)	
Short term toxicity (fish) Long term toxicity (fish)	LC50: 49.47 mg/l (96 hours)
Short term toxicity (p. invertebrate) Long-term toxicity (p. invertebrate)	LC50: 69.43 mg/l (48 hours)
Toxicity (Algae, cyano bacteria) Toxicity (Microorganisms)	EC50: 12.32 mg/l (96 hours) EL50: 51.6 mg/l (48 hours)

PNEC Values	Dimethyl Ether	acetone	n-butyl acetate
fresh water	0.155 mg/l 1,549 mg/l (batch)	10.6 mg/l 21 mg/l (intermittent release)	0.24 mg/l 1.65 mg/l (intermittent release)
marine	0.016 mg/l	1.06mg/l	0.024 mg/l
STP	160mg/l	100mg/l	650mg/l
Sediment (Fresh water) Sediment (Marine)	0.681 mg/kg sediment dw 0.069 mg/kg sediment dw	30.4 mg/kg sediment dw 3.04 mg/kg residue dw	1.15 mg/kg sediment dw 0.115 mg/kg sediment dw
Soil	0.045 mg/kg soil dw	29.5 mg/kg soil dw	0.148 mg/kg soil dw
Predators	-	-	0.2 g/kg of food

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

12.2. Persistence and degradability

Biological aspect decomposes .

12.3. Bioaccumulation potential

Complement no information

12.4. Mobility in soil

Complement no information

12.5. Results of PBT and vPvB assessment

PBT and vPvB component does not include .

12.6. Other adverse effects

Complement no information






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with approved collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN instructions

ADR	IMDG	IATA	ADN	RID
14.1. UN Number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Explanation of the transport document				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
				
14.4. packing group				
not applicable	not applicable	not applicable	not applicable	not applicable
14.5. Environmental hazards				
Harmful to the environment : Yes	Harmful to the environment : Yes Marine pollutant : Yes	Harmful to the environment : Yes	Harmful to the environment : Yes	Harmful to the environment : Yes
No additional information available				

14.6. Special precautions for the user

Highway transports

Classification code (ADR) : 5F

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1I
Exceptional quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP200
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2nd
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage-Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

sea transport

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packaging instructions (IMDG)	: P207, LP200
Special provisions on packaging (IMDG)	: PP87, L2
EmS-No. (fire)	: FD
N° FS (Spill)	: THAT
Upload category (IMDG)	: no
Storage and processing (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

Air transportation

Exceptional quantities for passenger aircraft and cargo aircraft (IATA)	: E0
Passenger and cargo aircraft limited quantities (IATA)	: Y203
For limited quantities of passenger aircraft and cargo aircraft, maximum net weight (IATA)	: 30kgG
Aircraft and cargo aircraft packaging instructions (IATA)	: 203
For passenger aircraft and cargo aircraft, maximum net weight (IATA)	: 75kg
Packaging instructions, airfreight cargo transport (IATA) only	: 203
Maximum net amount, airfreight cargo only (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

Ship transportation in inland waters

Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantity values (ADN)	: 1 L
Exceptional quantity (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Blue cone/light count (ADN)	: one

rail transport

Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
limited quantities (RID)	: 1L
Exceptional quantity (RID)	: E0
Packing instructions (RID)	: P207, LP200
Special provisions on packaging (RID)	: PP87, RR6, L2
Mixed packaging provisions (RID)	: MP9
Transport category (RID)	: 2nd
Special provisions on transportation - Parcel (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Express parcel (RID)	: CE2
Hazard identification N° (RID)	: 23

14.7. Bulk transport in accordance with Annex II of the MARPOL agreement and the IBC code

not applicable

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental legislation specific for the substance or mixture

15.1.1. EU Legislation

Does not contain any REACH substances subject to Annex XVII restrictions

Does not contain any substance on the REACH candidate list

Contains no substances listed in Annex XIV of REACH

It does not contain any substance subject to Regulation (EU) 649/2012 of the European Parliament and of the Council of 4 July 2012 on the export and import of hazardous chemicals.

Contains no substances subject to Regulation (EU) 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

- Employment restrictions : Comply with the restrictions of the Law on the Protection of Working Mothers (MuSchG)
Comply with the restrictions of the Law on the Protection of Young Employees (JArbSchG)
- Hazard class for water (WGK) : WGK 3, Extremely hazardous for water (Classification according to AwSV, Annex 1)
- Hazardous Incident Regulation (12. BImSchV) : Not covered by the Hazardous Incidents Regulation (12. BImSchV)

Holland

- SZW-lijst van kankerverwekkende stoffen : None of the components are included in the list
- SZW-lijst van mutagene stoffen : None of the components are included in the list
- NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are included in the list
- NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are included in the list
- NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are included in the list

Denmark

- Danish National Regulation : Young people under the age of 18 are not allowed to use the product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement on the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement on the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimation
BCF	bioconcentration coefficient
CLP	Classification Labeling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Average effective concentration
IARC	International Cancer Research Center
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Average lethal concentration
LD50	Average lethal dose
LOAEL	Lowest Observed Level of Side Effects
NOAEC	Concentration No Adverse Effects Observed
NOAEL	No Adverse Effect Level
NOEC	No Effect Concentration

ALCON STOP LEAKS SPRAY

Safety Data Sheet

Complies with EU Regulation 1907/2006 (REACH) together with EU amending regulation 2015/830

OCDE	Organization for Economic Cooperation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Concentration No Predicted Effect Observed
REACH	Registration, Evaluation, Authorization and Restriction of Chemical Regulation (EC) No. 1907/2006
RID	Legislation on International Transport of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	sewage treatment plant
TLM	Average Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources : EUROPEAN PARLIAMENT No. 1272/2008 of 16 December 2008 for the labeling, packaging and classification of substances and mixtures, amending the regulation no 1907/2006 CE, amending and replacing the directives 67/548/CEE and 1999/45/CE EU REGULATION.

Full text of H and EUH statements:	
Eye Irrit. 2nd	Serious eye damage/eye irritation, Category 2
flam. Gas 1	Flammable gases, Hazard Category 1
flam. Liq. 2nd	Flammable liquids, Hazard Category 2
flam. Liq. 3	Flammable liquids, Hazard Category 3
press. gas	gases under pressure
Skin Irrit. 2nd	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity - Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol.
H220	Extremely flammable gas.
H280	Contains pressurized gas, may explode when heated.
H225	Highly flammable liquid and gas.
H360	May damage the unborn child or impair fertility.
H304	It is fatal if it enters the respiratory tract and is swallowed.
H319	Causes serious eye irritation.
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	Causes allergic skin reactions.

SDS EU (REACH Annex II)

DISCLAIMER The information in this Safety Data Sheet has been obtained from sources we believe to be reliable. However, they are provided without any express or implied warranty as to their accuracy. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may not be within our knowledge. Due to these and similar reasons, we refuse responsibility for any loss or damage that may arise from the handling, storage, use or disposal of the product. This Safety Data Sheet has been prepared for the use of this product only. If the product is used as an ingredient in another product, the information in this Safety Data Sheet may be invalid.