

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. **Product identifier** ALCON GENERAL PURPOSE FAST SUPER GLUE
Substance / mixture mixture
Number M-1212
- 1.2. **Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
General purpose bonding of most plastics, rubbers, metals, ceramics and other common substrates.
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. **Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name ALCON ENDÜSTRİYEL ÜRÜNLER SAN. VE TİC. LTD. ŞTİ.
Address SOĞANLIK YENİ MAH. ALİAĞA SOK. NO:8 DAİRE:37 Bumerang
Kartal Rezidans Kartal, İstanbul, 34880
Turkey
Phone +90 216 661 00 90
Email alcon@alcon.com.tr
Web address www.alcon.com.tr
- 1.4. **Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. **Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Skin Irrit. 2, H315
Eye Irrit. 2, H319
STOT SE 3, H335
Most serious adverse effects on human health and the environment
Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
- 2.2. **Label elements**
Hazard pictogram

Signal word
Warning
Hazardous substances
ethyl 2-cyanoacrylate
2-Propenoic acid, 2-methyl-, methyl ester, polymer with methyl 2-propenoate
1,4-dihydroxybenzene
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P101 If medical advice is needed, have product container or label at hand.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection/protective gloves/protective clothing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Supplemental information

EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH208	Contains 1,4-dihydroxybenzene. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 607-236-00-9 CAS: 7085-85-0 EC: 230-391-5	ethyl 2-cyanoacrylate	90-<100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Specific concentration limit: STOT SE 3, H335: C ≥ 10 %	
CAS: 9011-87-4 EC: 618-476-9	2-Propenoic acid, 2-methyl-, methyl ester, polymer with methyl 2-propenoate	1-<5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Index: 604-005-00-4 CAS: 123-31-9 EC: 204-617-8	1,4-dihydroxybenzene	0.05-<0.2	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Muta. 2, H341 Carc. 2, H351 Aquatic Acute 1, H400 (M=10)	1

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 0.2-0.5 L of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

May cause respiratory irritation.

If on skin

Causes skin irritation.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in original containers at 10-25°C (50-77°F) dry area and do not leave top of the cartridge open as contamination from air or other environment may reduce the shelf life of the product. Store separately from oxidizing agents, strongly alkaline and basic materials, amines, alcohols and water. Do not store together with explosives, gases, oxidizing solids, products which form flammable gases in contact with water, oxidizing products, infectious products and radioactive products.

Storage temperature min 10 °C, max 25 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

Turkey

Substance name (component)	Type	Value
1,4-dihydroxybenzene (CAS: 123-31-9)	TWA (8 hours)	2 mg/m ³

DNEL

1,4-dihydroxybenzene			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	2.1 mg/m ³	Chronic effects systemic
Workers	Dermal	3.33 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	1.05 mg/m ³	Chronic effects systemic
Consumers	Dermal	1.66 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	0.6 mg/kg bw/day	Chronic effects systemic

ethyl 2-cyanoacrylate

Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	9.25 mg/m ³	Chronic effects local
Workers	Inhalation	9.25 mg/m ³	Chronic effects systemic
Consumers	Inhalation	9.25 mg/m ³	Chronic effects local
Consumers	Inhalation	9.25 mg/m ³	Chronic effects systemic

PNEC

1,4-dihydroxybenzene	
Route of exposure	Value
Freshwater environment	0.57 µg/l
Marine water	0.057 µg/l
Water (intermittent release)	0.134 µg/l
Microorganisms in sewage treatment	0.71 mg/l
Freshwater sediment	4.9 µg/kg of dry substance

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

1,4-dihydroxybenzene

Route of exposure	Value
Sea sediments	0.49 µg/kg of dry substance
	0.64 µg/kg of dry substance

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection



Protective goggles.

Skin protection



Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class
Butyl rubber (IIR)	≥ 0.5 mm		
Fluoroelastomer (FKM)	≥ 0.4 mm		

Respiratory protection



Halfmask with a filter against organic vapours in the poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	Colorless to very light yellow
Odour	Sharp, irritating
Melting point/freezing point	<0 °C
Boiling point or initial boiling point and boiling range	50-60 °C (at 0.2-0.5kPa)
Flammability	data not available
Lower and upper explosion limit	

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

bottom	data not available
upper	1.7 % (in volume)
Flash point	83 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	Polymerize in water
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	0.20-0.27kPa at 25 °C
Density and/or relative density	
Density	1.04 g/cm ³ at 20 °C
Relative density	1.04
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

Oxidising properties	Not classified.
Vapour density	4.3

SECTION 10: Stability and reactivity

10.1. Reactivity

Keep away from basic materials and water. Mixture can rapidly polymerize with these materials and produce heat. Evolution of heat in closed containers causes overpressure and produces a risk of bursting.

10.2. Chemical stability

This product is considered stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

Cause heating by polymerization in contact with water and basic materials, or under high temperature, high humidity and direct sunlight.

10.4. Conditions to avoid

Stable under recommended storage and handling conditions (see Section 7). Avoid any contact with heat sources.

10.5. Incompatible materials

Basic materials, water, acids, reducers, peroxides and oxidants. Also, please refer to reactivity in this section.

10.6. Hazardous decomposition products

May emit toxic fumes of carbon monoxide, carbon dioxide and nitrogen oxides on combustion.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

ALCON GENERAL PURPOSE FAST SUPER GLUE							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	ATE		250013 mg/kg				Calculation of value

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date

24th February 2025

Version

2.0

Revision date

03rd December 2025

1,4-dihydroxybenzene

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Inhalation	LCO		≥ 2.8 mg/l of air	8 hours	Rat		
Dermal	LD ₅₀		>900 mg/kg	24 hours	Rat		

ethyl 2-cyanoacrylate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Dermal	LD ₅₀	OECD Guideline 402	>2000 mg/kg	24 hours	Rabbit		
Oral	LD ₅₀		>300- 600< mg/kg		Rat		

Skin corrosion/irritation

Causes skin irritation.

1,4-dihydroxybenzene

Route of exposure	Result	Method	Exposure time	Species
Skin	Not irritating		24 hours	Rabbit

ethyl 2-cyanoacrylate

Route of exposure	Result	Method	Exposure time	Species
Skin	Slightly irritating	OECD Guideline 404	24 hours	Rabbit

Serious eye damage/irritation

Causes serious eye irritation.

ethyl 2-cyanoacrylate

Route of exposure	Result	Method	Exposure time	Species
Eye	Irritating	OECD Guideline 405	72 hours	Rabbit

Respiratory or skin sensitisation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

1,4-dihydroxybenzene

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Sensitizing	OECD Guideline 429		Mouse	

Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

1,4-dihydroxybenzene

Result	Method	Exposure time	Specific target organ	Species	Sex
Not carcinogenic	OECD Guideline 473			Human lymphocytes	M
Mutagenic	OECD Guideline 474			Mouse	

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date 24th February 2025 Version 2.0
 Revision date 03rd December 2025

Carcinogenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

1,4-dihydroxybenzene							
Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Oral		OECD Guideline 453		103 weeks	Carcinogenic	Rat	

ethyl 2-cyanoacrylate							
Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Inhalation					No effect	Dog	

Reproductive toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

1,4-dihydroxybenzene					
Effect	Parameter	Value	Result	Species	Sex
	NOAEL	15 mg/kg bw/day		Rat	

Toxicity for specific target organ - single exposure

May cause respiratory irritation. Data for the components of the mixture are not available.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information**12.1. Toxicity**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Acute toxicity

ALCON GENERAL PURPOSE FAST SUPER GLUE					
Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀	OECD Guideline 203	0.638 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	0.134 mg/l	48 hours	Daphnia (Daphnia sp.)	
NOEC	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	0.095 mg/l	48 hours	Daphnia (Daphnia sp.)	

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date 24th February 2025 Version 2.0
Revision date 03rd December 2025

ALCON GENERAL PURPOSE FAST SUPER GLUE					
Parameter	Method	Value	Exposure time	Species	Environment
EC ₅₀	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	0.148 mg/l	24 hours	Daphnia (Daphnia sp.)	
NOEC	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	0.095 mg/l	24 hours	Daphnia (Daphnia sp.)	
EC ₅₀	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	0.061 mg/l	48 hours	Daphnia (Daphnia sp.)	
EC ₁₀₀	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	0.11 mg/l	48 hours	Daphnia (Daphnia sp.)	
NOEC	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	0.029 mg/l	48 hours	Daphnia (Daphnia sp.)	
EC ₅₀	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)	0.071 mg/l	24 hours	Daphnia (Daphnia sp.)	

1,4-dihydroxybenzene					
Parameter	Method	Value	Exposure time	Species	Environment
EC ₅₀	OECD Guideline 201	0.33 mg/l	72 hours	Algae (Pseudokirchnerella subcapitata)	
EC ₁₀	OECD Guideline 201	0.034 mg/l	72 hours	Algae (Pseudokirchnerella subcapitata)	

Chronic toxicity

ALCON GENERAL PURPOSE FAST SUPER GLUE					
Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD Guideline 211	0.006 mg/l	21 days	Daphnia (Daphnia magna)	

1,4-dihydroxybenzene					
Parameter	Method	Value	Exposure time	Species	Environment
NOEC		>=100 µg/l	32 days	Fish (Pimephales promelas)	

12.2. Persistence and degradability

Data for the mixture are not available.

Biodegradability

1,4-dihydroxybenzene					
Parameter	Method	Value	Exposure time	Environment	Result
Ready biodegradability	OECD Guideline 301 C	70 %	14 days		Biodegradable

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

12.3. Bioaccumulative potential

Data for the mixture are not available.

1,4-dihydroxybenzene	
Parameter	Value
Log Kow	0.59
BCF	3.162

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

20 01 27* paint, inks, adhesives and resins containing hazardous substances

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information**14.1. UN number or ID number**

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH208	Contains 1,4-dihydroxybenzene. May produce an allergic reaction.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.

Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection/protective gloves/protective clothing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

EC ₁₀	Concentration of a substance when it is affected 10 % of the population
EC ₁₀₀	Concentration of a substance when it is affected 100 % of the population
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
Muta.	Germ cell mutagenicity
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

ALCON GENERAL PURPOSE FAST SUPER GLUE

Creation date	24th February 2025	Version	2.0
Revision date	03rd December 2025		

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.