

## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST  
Substance / mixture mixture  
Number M-8814
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Catalyst  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name ALCON ENDÜSTRİYEL ÜRÜNLER SAN. VE TİC. LTD. ŞTİ.  
Address SOĞANLIK YENİ MAH. ALİAĞA SOK. NO:8 DAİRE:37 Bumerang  
Kartal Rezidans Kartal, İstanbul, 34880  
Turkey  
Phone +90 216 661 00 90  
Email alcon@alcon.com.tr  
Web address www.alcon.com.tr
- 1.4. Emergency telephone number**  
European emergency number: 112

## SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.  
  
Acute Tox. 4, H302+H312  
Skin Corr. 1B, H314  
Skin Sens. 1, H317  
Eye Dam. 1, H318  
Aquatic Chronic 3, H412  
**Most serious adverse effects on human health and the environment**  
Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
- 2.2. Label elements**  
**Hazard pictogram**  
  
**Signal word**  
Danger  
**Hazardous substances**  
3,6-diazaoctanethylenediamin  
3,6,9-triazaundecamethylenediamine  
**Hazard statements**  
H302+H312 Harmful if swallowed or in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

**Precautionary statements**

|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P101           | If medical advice is needed, have product container or label at hand.                                                            |
| P102           | Keep out of reach of children.                                                                                                   |
| P261           | Avoid breathing dust/fume/gas/mist/vapours/spray.                                                                                |
| P264           | Wash face, hands and exposed parts of the body thoroughly after handling.                                                        |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection.                                                       |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.                                                                               |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.                                     |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a doctor.                                                                                                       |
| P333+P313      | If skin irritation or rash occurs: Get medical advice/attention.                                                                 |
| P362+P364      | Take off contaminated clothing and wash it before reuse.                                                                         |
| P501           | Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.   |

**Requirements for child-resistant fastenings and tactile warning of danger**

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

**2.3. Other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixture.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

| Identification numbers                                | Substance name                     | Content in % weight | Classification according to Regulation (EC) No 1272/2008                                        | Note |
|-------------------------------------------------------|------------------------------------|---------------------|-------------------------------------------------------------------------------------------------|------|
| Index: 612-059-00-5<br>CAS: 112-24-3<br>EC: 203-950-6 | 3,6-diazaoctanethylenediamin       | 40-60               | Acute Tox. 4, H312<br>Skin Corr. 1B, H314<br>Skin Sens. 1, H317<br>Aquatic Chronic 3, H412      |      |
| Index: 612-060-00-0<br>CAS: 112-57-2<br>EC: 203-986-2 | 3,6,9-triazaundecamethylenediamine | 40-60               | Acute Tox. 4, H302+H312<br>Skin Corr. 1B, H314<br>Skin Sens. 1, H317<br>Aquatic Chronic 2, H411 |      |

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes.

**ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST**

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

**If on skin**

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

**If swallowed**

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 0.2-0.5 l of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

Inhaling vapours can cause corrosion of the breathing system.

**If on skin**

Causes severe skin burns. May cause an allergic skin reaction.

**If in eyes**

Causes serious eye damage.

**If swallowed**

Corrosion of the digestion system can occur.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

**5.3. Advice for firefighters**

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

**6.3. Methods and material for containment and cleaning up**

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

- 6.4. Reference to other sections**  
See the Section 7, 8 and 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

The mixture contains no substances for which occupational exposure limits are set.

**8.2. Exposure controls**

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

**Eye/face protection**

Protective goggles or face shield (based on the nature of the work performed).

**Skin protection**

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. When selecting gloves, consider the properties of the product and the duration of exposure. Replace gloves at the first signs of wear or damage. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

| Glove material | Thickness | Breakthrough time | Class |
|----------------|-----------|-------------------|-------|
|                |           |                   |       |

**Respiratory protection**

Mask with a filter in a poorly ventilated environment.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

|                                                          |                                      |
|----------------------------------------------------------|--------------------------------------|
| Physical state                                           | liquid                               |
| Colour                                                   | dark yellow                          |
| Odour                                                    | Characteristic.                      |
| Melting point/freezing point                             | data not available                   |
| Boiling point or initial boiling point and boiling range | data not available                   |
| Flammability                                             | data not available                   |
| Lower and upper explosion limit                          | data not available                   |
| Flash point                                              | data not available                   |
| Auto-ignition temperature                                | >200 °C                              |
| Decomposition temperature                                | data not available                   |
| pH                                                       | data not available                   |
| Kinematic viscosity                                      | data not available                   |
| Viscosity                                                | 700 - 900 mPa.s at 75 °C             |
| Solubility in water                                      | data not available                   |
| Partition coefficient n-octanol/water (log value)        | data not available                   |
| Vapour pressure                                          | data not available                   |
| Density and/or relative density                          |                                      |
| Density                                                  | 0.95-1.05 g/cm <sup>3</sup> at 20 °C |
| Relative vapour density                                  | data not available                   |
| Particle characteristics                                 | data not available                   |

## 9.2. Other information

not available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.

## 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

## 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

## 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

## Acute toxicity

Harmful if swallowed or in contact with skin. Data for the components of the mixture are not available.

| ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST |           |            |               |         |     |                      |
|---------------------------------------------------------------|-----------|------------|---------------|---------|-----|----------------------|
| Route of exposure                                             | Parameter | Value      | Exposure time | Species | Sex | Value determination  |
| Dermal                                                        | ATE       | 1100 mg/kg |               |         |     | Calculation of value |

## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

**Skin corrosion/irritation**

Causes severe skin burns and eye damage. Data for the components of the mixture are not available.

**Serious eye damage/irritation**

Causes severe skin burns and eye damage. Causes serious eye damage. Data for the components of the mixture are not available.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction. Data for the components of the mixture are not available.

**Germ cell mutagenicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Carcinogenicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Reproductive toxicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Toxicity for specific target organ - single exposure**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Toxicity for specific target organ - repeated exposure**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**11.2. Information on other hazards**

not available

**SECTION 12: Ecological information****12.1. Toxicity**

Toxic to aquatic life with long lasting effects. Data for the components of the mixture are not available.

**12.2. Persistence and degradability**

Data for the components of the mixture are not available.

**12.3. Bioaccumulative potential**

No data are available for either the mixture or the components.

**12.4. Mobility in soil**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

**12.5. Results of PBT and vPvB assessment**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

**12.6. Endocrine disrupting properties**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

**12.7. Other adverse effects**

## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

Not available.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

## Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

## 14.1. UN number or ID number

UN 2735

## 14.2. UN proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S.

## 14.3. Transport hazard class(es)

8 Corrosive substances

## 14.4. Packing group

III

## 14.5. Environmental hazards

not relevant

## 14.6. Special precautions for user

Reference in the Sections 4 to 8.

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## Additional information

Hazard identification No.

80

UN number

2735

Classification code

C7

Safety signs

8



## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

**Road transport - ADR**

|                     |     |
|---------------------|-----|
| Special provisions  | 274 |
| Limited quantities  | 5 L |
| Excepted quantities | E1  |

**Packaging**

|                          |                         |
|--------------------------|-------------------------|
| Packing instructions     | P001, IBC03, LP01, R001 |
| Mixed packing provisions | MP19                    |

**Portable tanks and bulk containers**

|                    |           |
|--------------------|-----------|
| Guidelines         | T7        |
| Special provisions | TP1, TP28 |

**ADR tank**

|                            |      |
|----------------------------|------|
| Tank code                  | L4BN |
| Vehicles for tank carriage | AT   |
| Transport category         | 3    |
| Tunnel restriction code    | (E)  |

**Special provision for**

|          |     |
|----------|-----|
| packages | V12 |
|----------|-----|

**Railway transport - RID**

|                    |     |
|--------------------|-----|
| Special provisions | 274 |
|--------------------|-----|

**Packaging**

|                          |                         |
|--------------------------|-------------------------|
| Packing instructions     | P001, IBC03, LP01, R001 |
| Mixed packing provisions | MP19                    |

**Portable tanks and bulk containers**

|                    |           |
|--------------------|-----------|
| Guidelines         | T7        |
| Special provisions | TP1, TP28 |

**RID Tanks**

|                    |      |
|--------------------|------|
| Tank code          | L4BN |
| Transport category | 3    |

**Special provision for**

|          |     |
|----------|-----|
| packages | W12 |
|----------|-----|

**Air transport - ICAO/IATA**

|                                           |      |
|-------------------------------------------|------|
| Packaging instructions for limited amount | Y841 |
| Packaging instructions passenger          | 852  |
| Cargo packaging instructions              | 856  |

**Marine transport - IMDG**

|                      |          |
|----------------------|----------|
| EmS (emergency plan) | F-A, S-B |
| MFAG                 | 320      |

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**15.2. Chemical safety assessment**

not available

## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

## SECTION 16: Other information

## A list of standard risk phrases used in the safety data sheet

|           |                                                    |
|-----------|----------------------------------------------------|
| H302+H312 | Harmful if swallowed or in contact with skin.      |
| H312      | Harmful in contact with skin.                      |
| H314      | Causes severe skin burns and eye damage.           |
| H317      | May cause an allergic skin reaction.               |
| H318      | Causes serious eye damage.                         |
| H411      | Toxic to aquatic life with long lasting effects.   |
| H412      | Harmful to aquatic life with long lasting effects. |

## Guidelines for safe handling used in the safety data sheet

|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P101           | If medical advice is needed, have product container or label at hand.                                                            |
| P102           | Keep out of reach of children.                                                                                                   |
| P261           | Avoid breathing dust/fume/gas/mist/vapours/spray.                                                                                |
| P264           | Wash face, hands and exposed parts of the body thoroughly after handling.                                                        |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection.                                                       |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.                                                                               |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.                                     |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a doctor.                                                                                                       |
| P333+P313      | If skin irritation or rash occurs: Get medical advice/attention.                                                                 |
| P362+P364      | Take off contaminated clothing and wash it before reuse.                                                                         |
| P501           | Dispose of contents/container to be handing over to the person authorized to dispose of waste or by returning to the supplier.   |

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

## Key to abbreviations and acronyms used in the safety data sheet

|                 |                                                                                                   |
|-----------------|---------------------------------------------------------------------------------------------------|
| Acute Tox.      | Acute toxicity                                                                                    |
| ADR             | Agreement concerning the international carriage of dangerous goods by road                        |
| Aquatic Chronic | Hazardous to the aquatic environment (chronic)                                                    |
| ATE             | Acute toxicity estimate                                                                           |
| BCF             | Bioconcentration Factor                                                                           |
| CAS             | Chemical Abstracts Service                                                                        |
| CLP             | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| EC              | Identification code for each substance listed in EINECS                                           |
| EINECS          | European Inventory of Existing Commercial Chemical Substances                                     |
| EmS             | Emergency Response Procedures for Ships Carrying Dangerous Goods                                  |
| EU              | European Union                                                                                    |
| EuPCS           | European Product Categorisation System                                                            |
| Eye Dam.        | Serious eye damage                                                                                |
| IATA            | International Air Transport Association                                                           |
| IBC             | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals       |
| ICAO            | International Civil Aviation Organization                                                         |
| IMDG            | International Maritime Dangerous Goods                                                            |
| IMO             | International Maritime Organization                                                               |
| INCI            | International Nomenclature of Cosmetic Ingredients                                                |
| ISO             | International Organization for Standardization                                                    |
| IUPAC           | International Union of Pure and Applied Chemistry                                                 |
| log Kow         | Octanol-water partition coefficient                                                               |



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## ALCON SPECIAL PLASTIC STEEL EPOXY ARMATURE VARNISH - CATALYST

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 17th February 2020 | Version | 2.0 |
| Revision date | 26th December 2025 |         |     |

|            |                                                                                                   |
|------------|---------------------------------------------------------------------------------------------------|
| OEL        | Occupational Exposure Limits                                                                      |
| PBT        | Persistent, bioaccumulative and toxic                                                             |
| PMT        | Persistent, mobile and toxic                                                                      |
| ppm        | Parts per million                                                                                 |
| REACH      | Registration, Evaluation, Authorisation and Restriction of Chemicals                              |
| RID        | Regulation concerning the International Carriage of Dangerous Goods by Rail                       |
| Skin Corr. | Skin corrosion                                                                                    |
| Skin Sens. | Skin sensitization                                                                                |
| UN number  | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB       | Substances of unknown or variable composition, complex reaction products or biological materials  |
| VOC        | Volatile organic compounds                                                                        |
| vPvB       | Very persistent and very bioaccumulative                                                          |
| vPvM       | Very persistent and very mobile                                                                   |

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.