

## ALCON SUPER GLUE

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 26th December 2025 | Version | 1.0 |
|---------------|--------------------|---------|-----|

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. **Product identifier** ALCON SUPER GLUE  
Substance / mixture mixture  
Number M-1210
- 1.2. **Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
General purpose bonding of most plastics, rubbers, metals, ceramics and other common substrates.  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. **Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name ALCON ENDÜSTRİYEL ÜRÜNLER SAN. VE TİC. LTD. ŞTİ.  
Address SOĞANLIK YENİ MAH. ALİAĞA SOK. NO:8 DAİRE:37 Bumerang  
Kartal Rezidans Kartal, İstanbul, 34880  
Turkey  
Phone +90 216 661 00 90  
Email alcon@alcon.com.tr  
Web address www.alcon.com.tr
- 1.4. **Emergency telephone number**  
European emergency number: 112

## SECTION 2: Hazards identification

- 2.1. **Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.
- Skin Irrit. 2, H315  
Eye Irrit. 2, H319  
STOT SE 3, H335
- Most serious adverse effects on human health and the environment**  
Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
- 2.2. **Label elements**  
**Hazard pictogram**
- 
- Signal word**  
Warning
- Hazardous substances**  
ethyl 2-cyanoacrylate  
2-Propenoic acid, 2-methyl-, methyl ester, polymer with methyl 2-propenoate  
1,4-dihydroxybenzene
- Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.
- Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## ALCON SUPER GLUE

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 26th December 2025 | Version | 1.0 |
|---------------|--------------------|---------|-----|

|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P264           | Wash hands and exposed parts of the body thoroughly after handling.                                                              |
| P271           | Use only outdoors or in a well-ventilated area.                                                                                  |
| P280           | Wear eye protection/protective gloves/protective clothing.                                                                       |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P391           | Collect spillage.                                                                                                                |
| P405           | Store locked up.                                                                                                                 |
| P501           | Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.   |

**Supplemental information**

|        |                                                                                           |
|--------|-------------------------------------------------------------------------------------------|
| EUH202 | Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. |
| EUH208 | Contains 1,4-dihydroxybenzene. May produce an allergic reaction.                          |

**2.3. Other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

| Identification numbers                                 | Substance name                                                              | Content in % weight | Classification according to Regulation (EC) No 1272/2008                                                                       | Note |
|--------------------------------------------------------|-----------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------|------|
| Index: 607-236-00-9<br>CAS: 7085-85-0<br>EC: 230-391-5 | ethyl 2-cyanoacrylate                                                       | 90-<100             | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335<br>Specific concentration limit:<br>STOT SE 3, H335: C ≥ 10 %     |      |
| CAS: 9011-87-4<br>EC: 618-476-9                        | 2-Propenoic acid, 2-methyl-, methyl ester, polymer with methyl 2-propenoate | 1-<5                | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335                                                                   |      |
| Index: 604-005-00-4<br>CAS: 123-31-9<br>EC: 204-617-8  | 1,4-dihydroxybenzene                                                        | 0.05-<0.2           | Acute Tox. 4, H302<br>Skin Sens. 1, H317<br>Eye Dam. 1, H318<br>Muta. 2, H341<br>Carc. 2, H351<br>Aquatic Acute 1, H400 (M=10) | 1    |

**Notes**

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

## ALCON SUPER GLUE

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 26th December 2025 | Version | 1.0 |
|---------------|--------------------|---------|-----|

**If on skin**

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

**If swallowed**

Rinse out the mouth with water and provide 0.2-0.5 L of water. Provide medical treatment if the person has any health problems.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

May cause respiratory irritation.

**If on skin**

Causes skin irritation.

**If in eyes**

Causes serious eye irritation.

**If swallowed**

Irritation, nausea.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

**5.3. Advice for firefighters**

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

**6.3. Methods and material for containment and cleaning up**

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

## ALCON SUPER GLUE

Creation date 26th December 2025 Version 1.0

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in original containers at 10-25°C (50-77°F) dry area and do not leave top of the cartridge open as contamination from air or other environment may reduce the shelf life of the product. Store separately from oxidizing agents, strongly alkaline and basic materials, amines, alcohols and water. Do not store together with explosives, gases, oxidizing solids, products which form flammable gases in contact with water, oxidizing products, infectious products and radioactive products.

Storage temperature min 10 °C, max 25 °C

## 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

## Turkey

| Substance name (component)           | Type          | Value               |
|--------------------------------------|---------------|---------------------|
| 1,4-dihydroxybenzene (CAS: 123-31-9) | TWA (8 hours) | 2 mg/m <sup>3</sup> |

## DNEL

| 1,4-dihydroxybenzene |                   |                        |                          |
|----------------------|-------------------|------------------------|--------------------------|
| Workers / consumers  | Route of exposure | Value                  | Effect                   |
| Workers              | Inhalation        | 2.1 mg/m <sup>3</sup>  | Chronic effects systemic |
| Workers              | Dermal            | 3.33 mg/kg bw/day      | Chronic effects systemic |
| Consumers            | Inhalation        | 1.05 mg/m <sup>3</sup> | Chronic effects systemic |
| Consumers            | Dermal            | 1.66 mg/kg bw/day      | Chronic effects systemic |
| Consumers            | Oral              | 0.6 mg/kg bw/day       | Chronic effects systemic |

| ethyl 2-cyanoacrylate |                   |                        |                          |
|-----------------------|-------------------|------------------------|--------------------------|
| Workers / consumers   | Route of exposure | Value                  | Effect                   |
| Workers               | Inhalation        | 9.25 mg/m <sup>3</sup> | Chronic effects local    |
| Workers               | Inhalation        | 9.25 mg/m <sup>3</sup> | Chronic effects systemic |
| Consumers             | Inhalation        | 9.25 mg/m <sup>3</sup> | Chronic effects local    |
| Consumers             | Inhalation        | 9.25 mg/m <sup>3</sup> | Chronic effects systemic |

## PNEC

| 1,4-dihydroxybenzene               |                             |
|------------------------------------|-----------------------------|
| Route of exposure                  | Value                       |
| Freshwater environment             | 0.57 µg/l                   |
| Marine water                       | 0.057 µg/l                  |
| Water (intermittent release)       | 0.134 µg/l                  |
| Microorganisms in sewage treatment | 0.71 mg/l                   |
| Freshwater sediment                | 4.9 µg/kg of dry substance  |
| Sea sediments                      | 0.49 µg/kg of dry substance |

## ALCON SUPER GLUE

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 26th December 2025 | Version | 1.0 |
|---------------|--------------------|---------|-----|

## 1,4-dihydroxybenzene

Route of exposure

Value

0.64 µg/kg of dry substance

## 8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection



Protective goggles.

## Skin protection



Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

| Glove material        | Thickness | Breakthrough time | Class |
|-----------------------|-----------|-------------------|-------|
| Butyl rubber (IIR)    | ≥ 0.5 mm  |                   |       |
| Fluoroelastomer (FKM) | ≥ 0.4 mm  |                   |       |

## Respiratory protection



Halfmask with a filter against organic vapours in the poorly ventilated environment.

## Thermal hazard

Not available.

## Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

|                                                          |                                |
|----------------------------------------------------------|--------------------------------|
| Physical state                                           | liquid                         |
| Colour                                                   | Colorless to very light yellow |
| Odour                                                    | Sharp, irritating              |
| Melting point/freezing point                             | <0 °C                          |
| Boiling point or initial boiling point and boiling range | 50-60 °C (at 0.2-0.5kPa)       |
| Flammability                                             | data not available             |
| Lower and upper explosion limit                          |                                |
| bottom                                                   | data not available             |
| upper                                                    | 1.7 % (in volume)              |

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## ALCON SUPER GLUE

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 26th December 2025 | Version | 1.0 |
|---------------|--------------------|---------|-----|

|                                                   |                       |
|---------------------------------------------------|-----------------------|
| Flash point                                       | 83 °C                 |
| Auto-ignition temperature                         | data not available    |
| Decomposition temperature                         | data not available    |
| pH                                                | data not available    |
| Kinematic viscosity                               | data not available    |
| Solubility in water                               | Polymerize in water   |
| Partition coefficient n-octanol/water (log value) | data not available    |
| Vapour pressure                                   | 0.20-0.27kPa at 25 °C |
| Density and/or relative density                   |                       |
| Density                                           | 1.04 g/cm³ at 20 °C   |
| Relative density                                  | 1.04                  |
| Relative vapour density                           | data not available    |
| Particle characteristics                          | data not available    |

**9.2. Other information**

|                      |                 |
|----------------------|-----------------|
| Oxidising properties | Not classified. |
| Vapour density       | 4.3             |

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Keep away from basic materials and water. Mixture can rapidly polymerize with these materials and produce heat. Evolution of heat in closed containers causes overpressure and produces a risk of bursting.

## 10.2. Chemical stability

This product is considered stable under normal storage and handling conditions.

## 10.3. Possibility of hazardous reactions

Cause heating by polymerization in contact with water and basic materials, or under high temperature, high humidity and direct sunlight.

## 10.4. Conditions to avoid

Stable under recommended storage and handling conditions (see Section 7). Avoid any contact with heat sources.

## 10.5. Incompatible materials

Basic materials, water, acids, reducers, peroxides and oxidants. Also, please refer to reactivity in this section.

## 10.6. Hazardous decomposition products

May emit toxic fumes of carbon monoxide, carbon dioxide and nitrogen oxides on combustion.

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

## Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

| ALCON SUPER GLUE  |           |        |              |               |         |     |                      |
|-------------------|-----------|--------|--------------|---------------|---------|-----|----------------------|
| Route of exposure | Parameter | Method | Value        | Exposure time | Species | Sex | Value determination  |
| Oral              | ATE       |        | 250013 mg/kg |               |         |     | Calculation of value |

  

| 1,4-dihydroxybenzene |                  |        |                   |               |         |     |                     |
|----------------------|------------------|--------|-------------------|---------------|---------|-----|---------------------|
| Route of exposure    | Parameter        | Method | Value             | Exposure time | Species | Sex | Value determination |
| Inhalation           | LCO              |        | >=2.8 mg/l of air | 8 hours       | Rat     |     |                     |
| Dermal               | LD <sub>50</sub> |        | >900 mg/kg        | 24 hours      | Rat     |     |                     |



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## ALCON SUPER GLUE

Creation date 26th December 2025 Version 1.0

### ethyl 2-cyanoacrylate

| Route of exposure | Parameter        | Method             | Value            | Exposure time | Species | Sex | Value determination |
|-------------------|------------------|--------------------|------------------|---------------|---------|-----|---------------------|
| Dermal            | LD <sub>50</sub> | OECD Guideline 402 | >2000 mg/kg      | 24 hours      | Rabbit  |     |                     |
| Oral              | LD <sub>50</sub> |                    | >300- 600< mg/kg |               | Rat     |     |                     |

### Skin corrosion/irritation

Causes skin irritation.

### 1,4-dihydroxybenzene

| Route of exposure | Result         | Method | Exposure time | Species |
|-------------------|----------------|--------|---------------|---------|
| Skin              | Not irritating |        | 24 hours      | Rabbit  |

### ethyl 2-cyanoacrylate

| Route of exposure | Result              | Method             | Exposure time | Species |
|-------------------|---------------------|--------------------|---------------|---------|
| Skin              | Slightly irritating | OECD Guideline 404 | 24 hours      | Rabbit  |

### Serious eye damage/irritation

Causes serious eye irritation.

### ethyl 2-cyanoacrylate

| Route of exposure | Result     | Method             | Exposure time | Species |
|-------------------|------------|--------------------|---------------|---------|
| Eye               | Irritating | OECD Guideline 405 | 72 hours      | Rabbit  |

### Respiratory or skin sensitisation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### 1,4-dihydroxybenzene

| Route of exposure | Result      | Method             | Exposure time | Species | Sex |
|-------------------|-------------|--------------------|---------------|---------|-----|
| Skin              | Sensitizing | OECD Guideline 429 |               | Mouse   |     |

### Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### 1,4-dihydroxybenzene

| Result           | Method             | Exposure time | Specific target organ | Species           | Sex |
|------------------|--------------------|---------------|-----------------------|-------------------|-----|
| Not carcinogenic | OECD Guideline 473 |               |                       | Human lymphocytes | M   |
| Mutagenic        | OECD Guideline 474 |               |                       | Mouse             |     |

### Carcinogenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### 1,4-dihydroxybenzene

| Route of exposure | Parameter | Method             | Value | Exposure time | Result       | Species | Sex |
|-------------------|-----------|--------------------|-------|---------------|--------------|---------|-----|
| Oral              |           | OECD Guideline 453 |       | 103 weeks     | Carcinogenic | Rat     |     |

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## ALCON SUPER GLUE

Creation date 26th December 2025 Version 1.0

## ethyl 2-cyanoacrylate

| Route of exposure | Parameter | Method | Value | Exposure time | Result    | Species | Sex |
|-------------------|-----------|--------|-------|---------------|-----------|---------|-----|
| Inhalation        |           |        |       |               | No effect | Dog     |     |

## Reproductive toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

## 1,4-dihydroxybenzene

| Effect | Parameter | Value           | Result | Species | Sex |
|--------|-----------|-----------------|--------|---------|-----|
|        | NOAEL     | 15 mg/kg bw/day |        | Rat     |     |

## Toxicity for specific target organ - single exposure

May cause respiratory irritation. Data for the components of the mixture are not available.

## Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## 11.2. Information on other hazards

not available

## SECTION 12: Ecological information

## 12.1. Toxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

## Acute toxicity

## ALCON SUPER GLUE

| Parameter        | Method                                                     | Value      | Exposure time | Species                    | Environment |
|------------------|------------------------------------------------------------|------------|---------------|----------------------------|-------------|
| LC <sub>50</sub> | OECD Guideline 203                                         | 0.638 mg/l | 96 hours      | Fish (Oncorhynchus mykiss) |             |
| EC <sub>50</sub> | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) | 0.134 mg/l | 48 hours      | Daphnia (Daphnia sp.)      |             |
| NOEC             | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) | 0.095 mg/l | 48 hours      | Daphnia (Daphnia sp.)      |             |
| EC <sub>50</sub> | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) | 0.148 mg/l | 24 hours      | Daphnia (Daphnia sp.)      |             |
| NOEC             | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) | 0.095 mg/l | 24 hours      | Daphnia (Daphnia sp.)      |             |
| EC <sub>50</sub> | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) | 0.061 mg/l | 48 hours      | Daphnia (Daphnia sp.)      |             |

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## ALCON SUPER GLUE

Creation date 26th December 2025 Version 1.0

## ALCON SUPER GLUE

| Parameter         | Method                                                     | Value      | Exposure time | Species               | Environment |
|-------------------|------------------------------------------------------------|------------|---------------|-----------------------|-------------|
| EC <sub>100</sub> | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) | 0.11 mg/l  | 48 hours      | Daphnia (Daphnia sp.) |             |
| NOEC              | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) | 0.029 mg/l | 48 hours      | Daphnia (Daphnia sp.) |             |
| EC <sub>50</sub>  | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) | 0.071 mg/l | 24 hours      | Daphnia (Daphnia sp.) |             |

## 1,4-dihydroxybenzene

| Parameter        | Method             | Value      | Exposure time | Species                                | Environment |
|------------------|--------------------|------------|---------------|----------------------------------------|-------------|
| EC <sub>50</sub> | OECD Guideline 201 | 0.33 mg/l  | 72 hours      | Algae (Pseudokirchnerella subcapitata) |             |
| EC <sub>10</sub> | OECD Guideline 201 | 0.034 mg/l | 72 hours      | Algae (Pseudokirchnerella subcapitata) |             |

## Chronic toxicity

## ALCON SUPER GLUE

| Parameter | Method             | Value      | Exposure time | Species                 | Environment |
|-----------|--------------------|------------|---------------|-------------------------|-------------|
| NOEC      | OECD Guideline 211 | 0.006 mg/l | 21 days       | Daphnia (Daphnia magna) |             |

## 1,4-dihydroxybenzene

| Parameter | Method | Value      | Exposure time | Species                    | Environment |
|-----------|--------|------------|---------------|----------------------------|-------------|
| NOEC      |        | >=100 µg/l | 32 days       | Fish (Pimephales promelas) |             |

## 12.2. Persistence and degradability

Data for the mixture are not available.

## Biodegradability

## 1,4-dihydroxybenzene

| Parameter              | Method               | Value | Exposure time | Environment | Result        |
|------------------------|----------------------|-------|---------------|-------------|---------------|
| Ready biodegradability | OECD Guideline 301 C | 70 %  | 14 days       |             | Biodegradable |

## 12.3. Bioaccumulative potential

Data for the mixture are not available.

## 1,4-dihydroxybenzene

| Parameter | Value |
|-----------|-------|
| Log Kow   | 0.59  |
| BCF       | 3.162 |

## ALCON SUPER GLUE

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 26th December 2025 | Version | 1.0 |
|---------------|--------------------|---------|-----|

**12.4. Mobility in soil**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

**12.5. Results of PBT and vPvB assessment**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

**12.6. Endocrine disrupting properties**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

**12.7. Other adverse effects**

Not available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

**Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**Waste type code**

20 01 27\* paint, inks, adhesives and resins containing hazardous substances

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

**SECTION 14: Transport information****14.1. UN number or ID number**

not subject to transport regulations

**14.2. UN proper shipping name**

not relevant

**14.3. Transport hazard class(es)**

not relevant

**14.4. Packing group**

not relevant

**14.5. Environmental hazards**

not relevant

**14.6. Special precautions for user**

Reference in the Sections 4 to 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

## ALCON SUPER GLUE

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 26th December 2025 | Version | 1.0 |
|---------------|--------------------|---------|-----|

## 15.2. Chemical safety assessment

not available

## SECTION 16: Other information

## A list of standard risk phrases used in the safety data sheet

|        |                                                                                           |
|--------|-------------------------------------------------------------------------------------------|
| EUH202 | Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. |
| EUH208 | Contains 1,4-dihydroxybenzene. May produce an allergic reaction.                          |
| H302   | Harmful if swallowed.                                                                     |
| H315   | Causes skin irritation.                                                                   |
| H317   | May cause an allergic skin reaction.                                                      |
| H318   | Causes serious eye damage.                                                                |
| H319   | Causes serious eye irritation.                                                            |
| H335   | May cause respiratory irritation.                                                         |
| H341   | Suspected of causing genetic defects.                                                     |
| H351   | Suspected of causing cancer.                                                              |
| H400   | Very toxic to aquatic life.                                                               |

## Guidelines for safe handling used in the safety data sheet

|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P101           | If medical advice is needed, have product container or label at hand.                                                            |
| P102           | Keep out of reach of children.                                                                                                   |
| P264           | Wash hands and exposed parts of the body thoroughly after handling.                                                              |
| P271           | Use only outdoors or in a well-ventilated area.                                                                                  |
| P280           | Wear eye protection/protective gloves/protective clothing.                                                                       |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P391           | Collect spillage.                                                                                                                |
| P405           | Store locked up.                                                                                                                 |
| P501           | Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.   |

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

## Key to abbreviations and acronyms used in the safety data sheet

|                   |                                                                                                   |
|-------------------|---------------------------------------------------------------------------------------------------|
| Acute Tox.        | Acute toxicity                                                                                    |
| ADR               | Agreement concerning the international carriage of dangerous goods by road                        |
| Aquatic Acute     | Hazardous to the aquatic environment                                                              |
| ATE               | Acute toxicity estimate                                                                           |
| BCF               | Bioconcentration Factor                                                                           |
| Carc.             | Carcinogenicity                                                                                   |
| CAS               | Chemical Abstracts Service                                                                        |
| CLP               | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| EC                | Identification code for each substance listed in EINECS                                           |
| EC <sub>10</sub>  | Concentration of a substance when it is affected 10 % of the population                           |
| EC <sub>100</sub> | Concentration of a substance when it is affected 100 % of the population                          |
| EC <sub>50</sub>  | Concentration of a substance when it is affected 50 % of the population                           |
| EINECS            | European Inventory of Existing Commercial Chemical Substances                                     |
| EmS               | Emergency Response Procedures for Ships Carrying Dangerous Goods                                  |
| EU                | European Union                                                                                    |
| EuPCS             | European Product Categorisation System                                                            |
| Eye Dam.          | Serious eye damage                                                                                |
| Eye Irrit.        | Eye irritation                                                                                    |
| IATA              | International Air Transport Association                                                           |

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## ALCON SUPER GLUE

|               |                    |         |     |
|---------------|--------------------|---------|-----|
| Creation date | 26th December 2025 | Version | 1.0 |
|---------------|--------------------|---------|-----|

|                  |                                                                                                   |
|------------------|---------------------------------------------------------------------------------------------------|
| IBC              | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals       |
| ICAO             | International Civil Aviation Organization                                                         |
| IMDG             | International Maritime Dangerous Goods                                                            |
| IMO              | International Maritime Organization                                                               |
| INCI             | International Nomenclature of Cosmetic Ingredients                                                |
| ISO              | International Organization for Standardization                                                    |
| IUPAC            | International Union of Pure and Applied Chemistry                                                 |
| LC <sub>50</sub> | Lethal concentration of a substance in which it can be expected death of 50% of the population    |
| LD <sub>50</sub> | Lethal dose of a substance in which it can be expected death of 50% of the population             |
| log Kow          | Octanol-water partition coefficient                                                               |
| Muta.            | Germ cell mutagenicity                                                                            |
| NOAEL            | No observed adverse effect level                                                                  |
| NOEC             | No observed effect concentration                                                                  |
| OEL              | Occupational Exposure Limits                                                                      |
| PBT              | Persistent, bioaccumulative and toxic                                                             |
| PMT              | Persistent, mobile and toxic                                                                      |
| ppm              | Parts per million                                                                                 |
| REACH            | Registration, Evaluation, Authorisation and Restriction of Chemicals                              |
| RID              | Regulation concerning the International Carriage of Dangerous Goods by Rail                       |
| Skin Irrit.      | Skin irritation                                                                                   |
| Skin Sens.       | Skin sensitization                                                                                |
| STOT SE          | Specific target organ toxicity - single exposure                                                  |
| UN number        | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB             | Substances of unknown or variable composition, complex reaction products or biological materials  |
| VOC              | Volatile organic compounds                                                                        |
| vPvB             | Very persistent and very bioaccumulative                                                          |
| vPvM             | Very persistent and very mobile                                                                   |

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**More information**

Classification procedure - calculation method.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.